Voice GPS Vehicle Tracker



Voice monitoring

It enables you to listen to the sound & voice inside the vehicle



Operating Voltage

Comes with a wide operating voltage of input range from 9V to 36V



Water Resistant Design

Device comes with a water resistance casing design to prevent water entering the device



70+ Software Features

With over 70+ software features provides a best GPS tracking platform



Web and Mobile Platform

Web and mobile platform are available for user convenience



Multiple Alerts

Supports multiple alerts like Ignition ON/OFF, Overspeed, Device Unplug, Movement, etc.



Built-in 450mAh Battery

High capacity Li-ion battery ensuring sufficient power supply



90 Days Data Backup

With 90 days data backup user can check all past reports and playback in ease



Multiple Reports

Many useful reports like distance traveled, ignition ON/OFF, Stoppage report, etc. are provided



Vehicle Stop / Start

With immobilization feature vehicle can be stopped and start remotely



Multi Language Support

Support for multiple languages commonly spoken across the nation



Geo-Fencing

Get instant alerts when vehicle enters or exits a specified boundary





GSM Specification

GSM frequency	850/900/1800/1900 MHz	
GPRS	Class12, TCP/ IP	
Memory	64Mb	
Phase error	RMSPE<5,PPE<20	
Max output	GSM850/GSM900:33±3dBm	GSM1800/GSM1900:30±3Bm
Max frequency error	±0.1ppm	


GPS Specification

GPS chipset	MTK high sensitivity chip
Frequency	L1,1575.42MHz C/A code
GPS channel	66
Location accuracy	<10 meters
Tracking sensitivity	-165dBm
Acquisition sensitivity	-148dBm
TTFF (open sky)	Avg. hot start≤1sec Avg. cold start≤32sec

Other Details

Battery	450mAh/3.7V Li-Polymer battery
Working voltage/current	9-36VDC/30mA
Operating temperature	$-20^{\circ}\text{C} \sim 70^{\circ}\text{C}$
Standby time	60 hours
Working time	4 hours
Device weight	96g
Device dimension	105.8(L)*54.5(W)*16.4(H)mm
Box weight	409g
Box dimension	155(L)*95(W)*78(H)mm











Copyright © 2020, GB Tech Corp. Specifications and information given in this document are subject to change by GB Tech Corp without prior notice.



Our Branches

Head Office:

Door No. 239/6 (1st Floor), Gandhi Road, Kakkan St, Tambaram West, Chennai, Tamil Nadu - 600045

Road, Madurai, Tamil Nadu

North Chennai Office:

Karunanidhi Nagar, Vinobha Nagar, Old Washermanpet, Chennai Tamil Nadu - 600118

Coimbatore Office:

3305,perumal kovil street, Gandhima nagar, Coimbatore, Tamil Nadu - 641004

Trichy Office

No. 33, Aattukara Street, Palakarai, Sangillyandapuram, Tiruchirappalli, Tamil Nadu -620001

Hosur Office:

No. 2/705.6 Kadavul Nagar, Sanasandiram, Hosur, TN 635109

Vellore Office:

Madurai Office:

No.13, Kaji Street, Pernambut, Gudiyattam Tk, Vellore Dt, TN 635810

Perambalur Office:

No. 174E A, Vadakku Theru 2, New Colony, Thoramangalam, Perambalur, TN 621220

Chengalpet Office:

No. 03, Periyar Ramasamy Street, Guduvanchery, Chengalpet Dt, TN 603202

Kanniyakumari Office:

No.15/157, Oorali Vilai Pacode, Vilavancode, Anducode, Kanniyakumari, TN 629168